


XC Compactor *

*Box dumper design option available

FEATURES:

- High density 4:1 compaction ratio
- San-I-Pak Net™ for remote troubleshooting, software updates, and alarm messaging to inform end user when compactor is full and ready for pickup
- 7-inch display w/ remote access via SIP Net


Unit can be installed either indoors or outdoors.



FEATURES:

- A compactor for **all** your waste stream needs:

3 WASTE STREAMS, 1 FOOTPRINT



Your **ALL-IN-ONE** Treatment Solution

UTILITY REQUIREMENTS:

- Sanitary Drain

VOLTAGE REQUIREMENTS

- 50A/480V/3Ø
- 50A/120V/1Ø

UNIT MEASUREMENT

- 121" H x 105" L x 92" W



SCAN ME

Contact us today for more information
info@sanipak.com • 209.836.2310 • www.sanipak.com

8 Cubic Yard Vertical Compactor

FEATURES:

- High density **4:1** compaction ratio
- San-I-Pak Net™ for remote troubleshooting, software updates, and alarm messaging to inform end user when compactor is full and ready for pickup
- 7-inch display w/ remote access via SIP Net

Unit can be installed either indoors or outdoors.



FEATURES ...continued

- A compactor for **all** your waste stream needs:

3 WASTE STREAMS, 1 FOOTPRINT



UTILITY REQUIREMENTS:

- Sanitary Drain

VOLTAGE REQUIREMENTS

- 15A/480V/3Ø
- 20A/120V/1Ø

UNIT MEASUREMENT


- 117" H x 120" L x 100" W



Contact us today for more information
info@sanipak.com • 209.836.2310 • www.sanipak.com

8 Cubic Yard Vertical Compactor

...continued



Carts to be used with this unit:
96 Gallon Gray Cart



- Dump Swing Clearance: **132"**
- Cart Dumper Safety Clearance: **96"**
- Control Panel Clearance: **36"**
- Clearance Around Compactor:
 - Sides - **24"**
 - Back - **12"**

- Perfect for collection, transportation & disposal of waste & recycling
- Quiet-cap wheels reduce noise
- Compatible with automated lifts
- Built for toughness and impact resistance
- Carts are trainable up to 3 at a time
- **96 Gallon:** L 35.8" x W 29.8" x H 46.0"
- **Max Weight:** 335 lbs.




Contact us today for more information
info@sanipak.com • 209.836.2310 • www.sanipak.com

Self-Contained Compactor with Guide Channels

FEATURES:

- High density 4:1 compaction ratio
- San-I-Pak Net™ for remote troubleshooting, software updates, and alarm messaging to inform end user when compactor is full and ready for pickup
- 7-inch display w/ remote access via SIP Net

Unit can be installed either indoors or outdoors.



FEATURES:

- A compactor for **all** your waste stream needs:

3 WASTE STREAMS, 1 FOOTPRINT



UTILITY REQUIREMENTS:

- Sanitary Drain

VOLTAGE REQUIREMENTS

- 40A/480V/3Ø
- 20A/120V/1Ø

UNIT MEASUREMENT

- 121" H x 105" L x 92" W



SCAN ME

Contact us today for more information
info@sanipak.com • 209.836.2310 • www.sanipak.com

L-Compactor with Platform + Handrails



**Ground mount option for compactor available*

FEATURES:

- A compactor for **all** your waste stream needs:



4 Waste Stream Example:



FEATURES:

- High density 6:1 compaction ratio
- San-I-Pak Net™ for remote troubleshooting, software updates, and alarm messaging to inform end user when compactor is full and ready for pickup
- 7-inch display w/ remote access via SIP Net

UTILITY REQUIREMENTS:

- Sanitary Drain

VOLTAGE REQUIREMENTS

- 40A/480V/3Ø
- 20A/120V/1Ø

UNIT MEASUREMENT

- 121" H x 105" L x 92" W

Unit can be installed either indoors or outdoors.



SCAN ME

Contact us today for more information
info@sanipak.com • 209.836.2310 • www.sanipak.com

Ground Mount Compactor with Platform + Handrails



**Ground mount option for compactor available*

FEATURES:

- A compactor for **all** your waste stream needs:



4 Waste Stream Example:



FEATURES:

- High density 6:1 compaction ratio
- San-I-Pak Net™ for remote troubleshooting, software updates, and alarm messaging to inform end user when compactor is full and ready for pickup
- 7-inch display w/ remote access via SIP Net

UTILITY REQUIREMENTS:

- Sanitary Drain

VOLTAGE REQUIREMENTS

- 40A/480V/3Ø
- 20A/120V/1Ø

UNIT MEASUREMENT

- 121" H x 105" L x 92" W

Unit can be installed either indoors or outdoors.



SCAN ME

Contact us today for more information

info@sanipak.com • 209.836.2310 • www.sanipak.com


Octagon Roll-Off Container

*Container size available in 40, 30, 25, or 20-cubic yd.




FEATURES:

- Durable design to ensure strength and longevity
- 7 ga. steel plate floor and container sides with 3" structural steel channel
- 8 5/8" diameter ground rollers
- 2" x 6" structural steel tubing
- Grease fitted hinges, guide rollers, and ground rollers
- Understructures available to fit most roll-off hoists

DIMENSIONS & SPECS:



DIMENSIONS & SPECS: continued...



Dimensions	A		B		C		D		Capacity		Maximum Force Rate		Weight	
30-Cubic Yard Container	203 1/2"	5169mm	97 7/8"	2486mm	104 1/2"	2654mm	185 1/2"	4712mm	30 yd³	23 m³	80,000 lbf	355.8kN	5400 lbs.	2450 kg
40-Cubic Yard Container	266"	6756mm	97 7/8"	2486mm	104 1/2"	2654mm	251"	6375mm	40 yd³	31 m³	80,000 lbf	355.8kN	6550 lbs.	2971 kg



Contact us today for more information
info@sanipak.com • 209.836.2310 • www.sanipak.com